


4.3/10 Female to 4.3/10 Male Attenuator, 6dB 10 Watt | 123-H6dB10W | 123e.com

Part Number: 123-H6dB10W



10W, 6dB RF Attenuator (DC-6GHz, 4.3/10-Male to 4.3/10-Female)

This high-performance RF attenuator is designed for superior signal management across a wide frequency band of DC to 6 GHz. Its key features include:

- **Wide Frequency Range:** Supports DC to 6 GHz for versatile applications.
- **Multi-Technology Compatibility:** Ideal for 2G, 3G, 4G, and LTE networks.
- **Low VSWR:** Ensures minimal signal reflection for optimal performance.
- **Broad Application Use:** Perfect for in-building solutions and other RF systems.

Durable and reliable, this attenuator is equipped with a 4.3/10-male to 4.3/10-female interface for seamless integration. It's an essential component for fine-tuning signal levels in telecommunications and network installations.

PHYSICAL SPECIFICATIONS

| | |
|-------------|---------------|
| Connector A | 4.3-10 Male |
| Connector B | 4.3-10 Female |

ELECTRICAL SPECIFICATIONS

| | |
|-----------------|-------------------|
| Attenuation | 6dB |
| Average Power | 10 (average)@25°C |
| Frequency Range | DC-6GHz |
| Impedance | 50 ohm |
| VSWR | ≤1.25 |

ENVIRONMENTAL SPECIFICATIONS

| | |
|-----------------------|-----------|
| Operating Temperature | -30C~+65C |
|-----------------------|-----------|

Thank you visiting 123eWireless.

Please contact us at sales@123ewireless.com for any queries.